



# Search for First Generation Scalar Leptoquarks in the $e\nu jj$ Channel in $pp$ Collisions at $\sqrt{s} = 7$ TeV

The CMS Collaboration\*

## Abstract

A search for pair-production of first generation scalar leptoquarks is performed in the final state containing an electron, a neutrino, and at least two jets using proton-proton collision data at  $\sqrt{s} = 7$  TeV. The data were collected by the CMS detector at the LHC, corresponding to an integrated luminosity of  $36 \text{ pb}^{-1}$ . The number of observed events is in good agreement with the predictions for standard model processes. Prior CMS results in the dielectron channel are combined with this electron+neutrino search. A 95% confidence level combined lower limit is set on the mass of a first generation scalar leptoquark at 340 GeV for  $\beta = 0.5$ , where  $\beta$  is the branching fraction of the leptoquark to an electron and a quark. These results represent the most stringent direct limits to date for values of  $\beta$  greater than 0.05.

*Submitted to Physics Letters B*

---

\*See Appendix A for the list of collaboration members



## 1 Introduction

The standard model (SM) of particle physics has an intriguing but ad hoc symmetry between quarks and leptons. In some theories beyond the SM, such as SU(5) grand unification [1], Pati-Salam SU(4) [2], composite models [3], technicolor [4–6], and superstring-inspired  $E_6$  models [7], the existence of a new symmetry relates the quarks and leptons in a fundamental way. These models predict the existence of new bosons, called leptoquarks. The leptoquark (LQ) is coloured, has fractional electric charge, and couples to a lepton and a quark with coupling strength  $\lambda$ . The leptoquark decays to a charged lepton and a quark, with unknown branching fraction  $\beta$ , or a neutrino and a quark, with branching fraction  $(1 - \beta)$ . A review of LQ phenomenology and searches can be found in Refs. [8, 9]. Constraints from experiments sensitive to flavour-changing neutral currents, lepton-family-number violation, and other rare processes [10] favour LQs that couple to quarks and leptons within the same SM generation, for LQ masses accessible to current colliders.

The first generation scalar LQs studied in this paper have spin 0 and couple only to electron or electron neutrino and up or down quark. Measurements at the HERA electron-proton collider constrain the coupling  $\lambda$  to be less than the electromagnetic coupling for LQ mass,  $M_{LQ}$ , less than 300 GeV [11, 12]. Prior to the results of the Large Hadron Collider (LHC) experiments, direct limits on the mass of the first generation scalar LQ have also been set by the Tevatron [13, 14] and LEP [15–18] experiments, for a broad range of the coupling  $\lambda$ . The Compact Muon Solenoid (CMS) experiment published a stricter lower limit of 384 GeV [19] on the mass of first generation scalar LQs for  $\beta = 1$  in the dielectron-plus-dijet (eejj) channel, using a sample collected in proton-proton collisions at  $\sqrt{s} = 7$  TeV and corresponding to an integrated luminosity of approximately  $33 \text{ pb}^{-1}$ . Recently, the ATLAS experiment at the LHC has also obtained an exclusion on the mass of first generation scalar LQs [20].

This paper presents the results of a search for pair-production of first generation scalar LQs using events containing an electron, missing transverse energy, and at least two jets ( $e\nu jj$ ) using proton-proton collision data at  $\sqrt{s} = 7$  TeV. In proton-proton collisions at the LHC, LQs are predominantly pair-produced via gluon-gluon fusion with a cross section that depends on the strong coupling constant  $\alpha_s$  but is nearly independent of  $\lambda$ . This cross section depends on the spin and the mass of the LQ and has been calculated at the next-to-leading-order (NLO) in QCD [21]. LQs could also be produced singly with a cross section that is dependent on  $\lambda$ . The results of this study are based on the assumption that  $\lambda$  is sufficiently small that single-LQ production can be neglected. The data were collected in 2010 by the CMS detector at the CERN LHC and correspond to an integrated luminosity of  $36 \text{ pb}^{-1}$ . The eejj and  $e\nu jj$  combined results are also presented.

## 2 The CMS Detector

The CMS experiment uses a right-handed coordinate system, with the origin at the nominal interaction point, the  $x$ -axis pointing to the centre of the LHC, the  $y$ -axis pointing up (perpendicular to the LHC plane), and the  $z$ -axis along the anticlockwise-beam direction. The polar angle  $\theta$  is measured from the positive  $z$ -axis and the azimuthal angle  $\phi$  is measured in the  $xy$  plane. Pseudorapidity is defined as  $\eta = -\ln[\tan(\theta/2)]$ . The central feature of the CMS apparatus is a superconducting solenoid, of 6 m internal diameter, providing a field of 3.8 T. Within the field volume are a silicon pixel and strip tracker, a crystal electromagnetic calorimeter (ECAL), and a brass/scintillator hadron calorimeter (HCAL). Muons are measured in gas-ionization detectors embedded in the steel return yoke. In addition to the barrel and endcap detectors,

CMS has extensive forward calorimetry. The ECAL has an energy resolution of better than 0.5% for unconverted photons with transverse energies above 100 GeV, and 3% or better for electrons of energies relevant to this analysis. In the region  $|\eta| < 1.74$ , the HCAL cells have granularity  $\Delta\eta \times \Delta\phi = 0.087 \times 0.087$  (where  $\phi$  is measured in radians). In the  $(\eta, \phi)$  plane, and for  $|\eta| < 1.48$ , the HCAL cells map on to  $5 \times 5$  ECAL crystals arrays to form calorimeter towers projecting radially outwards from close to the nominal interaction point. At larger values of  $|\eta|$ , the size of the towers increases and the matching ECAL arrays contain fewer crystals. The muons are measured in the pseudorapidity window  $|\eta| < 2.4$ , with detection planes made of three technologies: drift tubes, cathode strip chambers, and resistive plate chambers. Matching the muons to the tracks measured in the silicon tracker results in a transverse momentum ( $p_T$ ) resolution between 1 and 5%, for  $p_T$  values up to 1 TeV. The inner tracker measures charged particles within  $|\eta| < 2.5$ . It consists of 1440 silicon pixel and 15 148 silicon strip detector modules and provides an impact parameter resolution of  $\sim 15 \mu\text{m}$  and a  $p_T$  resolution of about 1.5% for 100 GeV particles. Events must pass a first-level trigger made of a system of fast electronics and a high-level trigger that consists of a farm of commercial CPUs running a version of the offline reconstruction software optimized for timing considerations. A detailed description of the CMS detector can be found elsewhere [22].

### 3 Reconstruction of Electrons, Muons, Jets, and $E_T$

Events used in the  $evjj$  analysis are collected by single-electron triggers without isolation requirements and with  $p_T$  thresholds dependent upon the running period, because of the evolving beam conditions during 2010. The bulk of the data were collected with a trigger requiring an electron with  $p_T > 22$  GeV. Events are required to contain at least one primary vertex with reconstructed  $z$  position within 24 cm, and  $xy$  position within 2 cm of the nominal center of the detector.

Electron candidates are required to have an electromagnetic cluster in ECAL that is spatially matched to a reconstructed track in the central tracking system in both  $\eta$  and  $\phi$ , and to have a shower shape consistent with that of an electromagnetic shower. The ratio  $H/E$ , where  $E$  is the energy of the ECAL cluster and  $H$  is the energy in the HCAL cells situated behind it, within a cone of radius  $\Delta R = \sqrt{(\Delta\phi)^2 + (\Delta\eta)^2} = 0.15$  centred on the electron, is required to be less than 5%. Electron candidates are further required to be isolated from additional energy deposits in the calorimeter and from additional reconstructed tracks (beyond the matched track) in the central tracking system. The sum of the  $p_T$  of the tracks in an hollow cone of internal (external) radius  $\Delta R = 0.04$  (0.3) is required to be less than 7.5 (15) GeV for electron candidates reconstructed within the barrel (endcap) acceptance. The ECAL isolation variable,  $EM_{\text{Iso}}$ , is defined as the sum of the transverse energy in ECAL cells within a cone of radius  $\Delta R = 0.3$ . To remove the contribution from the electron itself, the sum is performed excluding ECAL energy deposits in an inner cone of radius 3 crystals and in a strip, with a total width of 3 crystals in  $\eta$  and  $2 \times 0.3$  radians in  $\phi$ , both centred on the electron position. The longitudinal segmentation of the HCAL calorimeter is exploited in the isolation. The HCAL isolation variables,  $HAD_{\text{Iso}}^{\text{layer1}}$  and  $HAD_{\text{Iso}}^{\text{layer2}}$ , are defined as the sum of transverse energy deposits in an hollow cone of internal (external) radius  $\Delta R = 0.15$  (0.3), where the sum is performed over the first and second readout layers of the HCAL calorimeter, respectively. In the barrel, where only one HCAL layer is present, electron candidates are required to have  $EM_{\text{Iso}} + HAD_{\text{Iso}}^{\text{layer1}}$  less than  $0.03 p_{T,e} + 2$  GeV. In the endcaps, candidates with  $p_{T,e}$  below (above) 50 GeV are required to have  $EM_{\text{Iso}} + HAD_{\text{Iso}}^{\text{layer1}}$  less than  $2.5$  GeV ( $0.03 [p_{T,e} - 50] + 2.5$  GeV); the isolation variable  $HAD_{\text{Iso}}^{\text{layer2}}$  is also required to be less than 0.5 GeV, independent of the electron  $p_T$ . Electrons

reconstructed near the crack between ECAL barrel and endcap ( $1.44 < |\eta| < 1.56$ ) are not considered. More information about electron identification at CMS during this running period can be found in Ref. [23].

Jets are reconstructed by the anti- $k_T$  algorithm [24] from a list of particles obtained using particle-flow methods and a radius parameter  $R = 0.5$ . The particle-flow algorithm [25] reconstructs a complete, unique list of particles in each event using an optimized combination of information from all CMS subdetector systems. Particles that are reconstructed and identified include muons, electrons (with associated bremsstrahlung photons), photons (unconverted and converted), and charged/neutral hadrons. The jet energy corrections are derived using Monte Carlo (MC) simulation and *in situ* measurements using dijet and photon+jet events [26].

The transverse momentum of the neutrino is estimated from the missing transverse energy  $\cancel{E}_T$ , which is the magnitude of the negative vector sum of all particle-flow objects' transverse momenta. More information about  $\cancel{E}_T$  performance during this running period can be found in Refs. [27–29].

Muon candidates are reconstructed as tracks in the muon system that are spatially matched to a reconstructed track in the inner tracking system. To ensure a precise measurement of the impact parameter, only muons with tracks containing at least 11 hits in the silicon tracker are considered. To reject cosmic muons, the transverse impact parameter with respect to the beam axis is required to be less than 2 mm. The relative isolation parameter is defined as the scalar sum of the  $p_T$  of all tracks in the tracker and the transverse energies of hits in the ECAL and HCAL in a cone of  $\Delta R = 0.3$  around the muon track, excluding the contribution from the muon itself, divided by the muon  $p_T$ . Muons are required to have a relative isolation value less than 5%. A veto on the presence of isolated muons in the final state is used to reject  $t\bar{t}$  background events, as described later.

## 4 Event Samples and Selection

### 4.1 MC Samples

The dominant sources of  $evjj$  events from production of standard model particles are pair-production of top quarks and associated production of a W boson with jets. There is also a small contribution from multijet events with a jet misidentified as an electron and spurious missing transverse energy due to mismeasurement of jets, associated production of Z boson with jets, in addition to single top, diboson, b+jets, and  $\gamma$ +jets production.

To compare collision data to MC, the response of the detector was simulated using GEANT4 [30]. The detector geometry description included realistic subsystem conditions such as defunct and noisy channels. The selection procedure as well as the electron, muon, jet, and  $\cancel{E}_T$  reconstructions described for the data are also applied to the MC simulation samples. For the generation of all the MC samples, the CTEQ6L1 [31] parton distribution functions (PDFs) were used. The W+jets and Z/ $\gamma$ +jets events were generated using ALPGEN [32]. The  $t\bar{t}$ , single-top, b+jets, and  $\gamma$ +jets events were generated using MADGRAPH [33, 34]. The diboson (WW, ZZ, WZ) events were generated using PYTHIA [35], version 6.422, tune D6T [36, 37]. For the MADGRAPH and ALPGEN samples, parton showering and hadronization were performed with PYTHIA. The QCD multijet background is estimated from data, as described later. Signal samples for LQ masses ( $M_{LQ}$ ) from 200 to 500 GeV were generated with PYTHIA. The product of single-electron efficiency and acceptance, requiring a minimum electron  $p_T$  of 35 GeV, varies from  $\sim 76\%$  to  $\sim 83\%$  for LQ masses from 200 to 500 GeV.

## 4.2 Preselection

Samples enriched in the aforementioned SM processes are selected to verify the background estimate. The  $evjj$  preselection requires exactly one electron with  $p_T > 35$  GeV and  $|\eta| < 2.2$ , at least two jets with  $p_T > 30$  GeV and  $|\eta| < 3.0$ , and  $\cancel{E}_T > 45$  GeV. The electron is also required to be separated from both the two leading jets by a distance  $\Delta R > 0.7$ . In addition, to reduce the  $t\bar{t}$  background, events with at least one isolated muon with  $p_T > 10$  GeV are rejected. To reduce the contribution from multijet events and, in general, events with misidentified  $\cancel{E}_T$  due to jet mismeasurement, the opening angle in  $\phi$  between the  $\cancel{E}_T$  vector and the electron ( $\Delta\phi_{ev}$ ), and between the  $\cancel{E}_T$  vector and the leading (in  $p_T$ ) jet are required to be greater than 0.8 and 0.5 radians, respectively. In addition, a preselection requirement  $S_T > 250$  GeV is applied, where  $S_T$  is defined as the scalar sum of the  $p_T$  of the electron, the  $p_T$  of the two leading jets, and the  $\cancel{E}_T$ . This variable has a large signal-to-background discrimination power since the LQ decay products usually have large  $p_T$ .

A sufficient number of data events survive the preselection to allow a comparison with the background predictions. A good agreement is observed between data and background predictions in the shape of all kinematic distributions of the electron,  $\cancel{E}_T$ , and jets. Figure 1 (left) shows the distribution of the transverse mass of the electron and the neutrino, defined as  $m_{T,ev} = \sqrt{2 p_{T,e} \cancel{E}_T (1 - \cos(\Delta\phi_{ev}))}$ , after the preselection. The normalization of the various background sources is discussed in Section 5.




Figure 1: (Left) The  $m_{T,ev}$  distribution for events passing the  $evjj$  preselection requirements. (Right) The  $S_T$  distribution for events passing the final  $evjj$  event selection except the optimized  $S_T$  cut itself. The MC distributions for the signal ( $M_{LQ} = 300$  GeV,  $\beta = 0.5$ ) and the contributing backgrounds listed in Section 4.1 are shown.

## 4.3 Final Selection

To further reduce backgrounds, the selection criteria are optimized by minimizing the expected upper limit on the leptoquark cross section in the absence of signal using a Bayesian approach [38] that is well suited for counting experiments in the Poisson regime. The final selection requires electron  $p_T > 85$  GeV,  $\cancel{E}_T > 85$  GeV, and  $m_{T,ev} > 125$  GeV. The optimum value of the requirement on  $S_T$  was found to vary with the assumed LQ mass. An alternative discovery optimization that maximizes the significance estimator  $S/\sqrt{S+B+\sigma_B^2}$ , where  $S$  ( $B$ ) is the number of signal (background) events passing the full selection and  $\sigma_B$  is the systematic uncertainty on the background, gives similar results.

Table 1 shows the number of events surviving the different stages of the  $evjj$  event selection, for 300 GeV mass LQ signal, background, and data samples. Figure 1 (right) shows the distribution

of the  $S_T$  variable after the full selection except the optimized  $S_T$  cut itself. Table 2 shows the number of surviving events for MC signal, background, and data samples after applying the full selection optimized for different LQ mass hypotheses. The signal selection efficiencies reported in Table 1 and Table 2 include the kinematic acceptance and are estimated from MC studies. The systematic uncertainties on the LQ selection efficiency are discussed in Section 6.

Table 1: Number of  $evjj$  events for the first generation LQ signal (300 GeV mass,  $\beta = 0.5$ ), background, and data samples after each step of the event selection optimized for 300 GeV mass LQ signal. All uncertainties are statistical only. The product of signal acceptance and efficiency is also reported (the statistical uncertainty is less than 1%).

Cut	MC LQ300 Sample		MC and QCD Background Samples					Events in Data
	Selected Events	Acceptance $\times$ Efficiency	$t\bar{t}$ + jets	W + jets	Other Bkgs	QCD	All Bkgs	
$evjj$ preselection	11.52 $\pm$ 0.03	0.529	132.9 $\pm$ 0.7	306 $\pm$ 3	44.6 $\pm$ 0.6	13.7 $\pm$ 0.4	497 $\pm$ 4	505
$m_{T,ev} > 125$ GeV	10.01 $\pm$ 0.03	0.459	22.7 $\pm$ 0.3	14.2 $\pm$ 0.8	3.3 $\pm$ 0.2	3.5 $\pm$ 0.2	43.6 $\pm$ 0.9	46
$\min(p_T^e, \cancel{E}_T) > 85$ GeV	7.89 $\pm$ 0.03	0.362	5.3 $\pm$ 0.2	3.0 $\pm$ 0.4	0.63 $\pm$ 0.06	0.27 $\pm$ 0.05	9.2 $\pm$ 0.4	7
$S_T > 490$ GeV	6.89 $\pm$ 0.03	0.317	1.09 $\pm$ 0.07	1.0 $\pm$ 0.2	0.27 $\pm$ 0.05	0.14 $\pm$ 0.04	2.5 $\pm$ 0.2	2

Table 2: Number of  $evjj$  events for the first generation LQ signal ( $\beta = 0.5$ ), background, and data samples after the full analysis selection. The optimum value of the requirement on  $S_T$  is reported in the first column for each LQ mass. All uncertainties are statistical only. The product of signal acceptance and efficiency is also reported for different LQ masses (the statistical uncertainty is less than 1%).

$M_{LQ}$ ( $S_T$ cut) [GeV]	MC Signal Samples		MC and QCD Background Samples					Events in Data
	Selected Events	Acceptance $\times$ Efficiency	$t\bar{t}$ + jets	W + jets	Other Bkgs	QCD	All Bkgs	
200 ( $S_T > 350$ )	34.5 $\pm$ 0.2	0.161	3.6 $\pm$ 0.1	2.2 $\pm$ 0.3	0.48 $\pm$ 0.06	0.20 $\pm$ 0.04	6.5 $\pm$ 0.3	5
250 ( $S_T > 410$ )	15.9 $\pm$ 0.1	0.255	2.24 $\pm$ 0.09	1.7 $\pm$ 0.3	0.35 $\pm$ 0.05	0.18 $\pm$ 0.05	4.4 $\pm$ 0.3	3
280 ( $S_T > 460$ )	9.54 $\pm$ 0.05	0.291	1.43 $\pm$ 0.08	1.2 $\pm$ 0.2	0.29 $\pm$ 0.05	0.14 $\pm$ 0.04	3.1 $\pm$ 0.2	3
300 ( $S_T > 490$ )	6.89 $\pm$ 0.03	0.317	1.09 $\pm$ 0.07	1.0 $\pm$ 0.2	0.27 $\pm$ 0.05	0.14 $\pm$ 0.04	2.5 $\pm$ 0.2	2
320 ( $S_T > 520$ )	5.03 $\pm$ 0.02	0.339	0.75 $\pm$ 0.05	0.8 $\pm$ 0.2	0.22 $\pm$ 0.05	0.13 $\pm$ 0.04	1.9 $\pm$ 0.2	2
340 ( $S_T > 540$ )	3.73 $\pm$ 0.02	0.364	0.65 $\pm$ 0.05	0.7 $\pm$ 0.2	0.20 $\pm$ 0.05	0.12 $\pm$ 0.04	1.6 $\pm$ 0.2	2
370 ( $S_T > 570$ )	2.40 $\pm$ 0.01	0.396	0.50 $\pm$ 0.04	0.6 $\pm$ 0.1	0.18 $\pm$ 0.04	0.08 $\pm$ 0.03	1.3 $\pm$ 0.2	1
400 ( $S_T > 600$ )	1.57 $\pm$ 0.01	0.426	0.34 $\pm$ 0.04	0.5 $\pm$ 0.1	0.17 $\pm$ 0.04	0.08 $\pm$ 0.03	1.1 $\pm$ 0.1	1
450 ( $S_T > 640$ )	0.797 $\pm$ 0.003	0.467	0.26 $\pm$ 0.03	0.4 $\pm$ 0.1	0.13 $\pm$ 0.04	0.08 $\pm$ 0.04	0.9 $\pm$ 0.1	0
500 ( $S_T > 670$ )	0.417 $\pm$ 0.001	0.500	0.18 $\pm$ 0.03	0.4 $\pm$ 0.1	0.12 $\pm$ 0.04	0.08 $\pm$ 0.04	0.8 $\pm$ 0.1	0

## 5 Backgrounds

The  $t\bar{t}$  background is estimated from MC assuming an uncertainty on the inclusive  $t\bar{t}$  production cross section of 14%, taken from the CMS measurement [39]. Since the latter is consistent with next-to-next-to-leading-logarithm (NNLL) predictions, no rescaling of the  $t\bar{t}$  MC sample is applied. The small contribution from Z+jets, single top, diboson, b+jets, and  $\gamma$ +jets is estimated via MC.

The QCD multijet background is determined from data. The probability of an isolated electromagnetic cluster being reconstructed as an electron is measured in a sample with at least two jets and small  $\cancel{E}_T$ . For  $|\eta| < 1.44$ , this probability is found to be  $\sim 5 \times 10^{-3}$ , independent of the transverse energy deposit of the cluster. For  $1.56 < |\eta| < 2.2$ , this probability grows linearly as a function of cluster  $p_T$ , varying between  $\sim 2 \times 10^{-2}$  and  $\sim 4 \times 10^{-2}$  for cluster  $p_T$  between 50 and 200 GeV. This probability is applied to a sample with one cluster, large  $\cancel{E}_T$ , and two or

more jets to predict the QCD multijet contribution to the final selection sample. The systematic uncertainty is determined to be 25%, by using probabilities derived in samples with different number of jets (more than 1 or 3) and by calculating the maximum relative variation in the number of background events predicted at the preselection level. This background accounts for  $\sim 5\%$  of the total background for the LQ masses of interest.

The W+jets background dominates the  $evjj$  preselection sample. At this level of the selection, the ratio  $R_W = (N_{\text{data}} - N_{\text{OB}})/N_W$  is calculated, where  $N_{\text{data}}$ ,  $N_W$ , and  $N_{\text{OB}}$  are the numbers of events in data, W+jets, and other MC backgrounds with  $50 < m_{T,ev} < 110$  GeV. The value of  $R_W$  is  $1.18 \pm 0.12$ ; this rescaling factor is used to normalize the W+jets MC sample. The relative uncertainty on this normalization factor, which depends both on the statistical uncertainty on the data and on the systematic uncertainties on the other backgrounds contaminating the preselection sample, is used as the uncertainty on the MC estimate of the W+jets background. In addition, an uncertainty on the modeling of the shape of this background is determined using MADGRAPH samples with renormalization and factorization scales and jet-matching thresholds at the generator level varied by a factor of two in each direction. The number of W+jets events surviving the preselection criteria and the final  $m_{T,ev}$  cut is compared among the aforementioned MC samples, and the largest deviation from the default value is used to assess a 44% systematic uncertainty.

## 6 Systematic Uncertainties

The impact of the systematic uncertainties on the numbers of signal and background events is summarized in Table 3. The uncertainties on the  $t\bar{t}$  and W+jets normalization, and the W+jets background shape, are discussed in Section 5. For the energy scales of electrons and jets, the event selection is repeated with the jet and electron energies rescaled by a factor of  $1 \pm \delta$ , where  $\delta$  is the relative uncertainty on their energy scales. The uncertainty on the  $\cancel{E}_T$  scale is primarily affected by the uncertainty on the jet energy scale. The event-by-event variation in the  $\cancel{E}_T$  and jet measurements, due to the relative changes in the energies of the reconstructed jets, is used to determine the quoted energy scale uncertainty of jets and  $\cancel{E}_T$ . The statistical uncertainty on the number of  $evjj$  MC events, after the full selection, is summarized in Table 2 for signal and background samples. The systematic uncertainty on trigger, reconstruction, identification, and isolation efficiency for electrons is assessed using  $Z \rightarrow ee$  events from data, using methods similar to those discussed in Ref. [40]. The uncertainty on the integrated luminosity of the data sample is 4% [41]. The effect of the PDF uncertainties on the signal acceptance is estimated using an event reweighting technique that uses the LHAPDF package [42] and it is found to be negligible (less than 1%). For the dominant  $t\bar{t}$  and W+jets backgrounds the uncertainties due to the PDF choice, electron efficiencies, and integrated luminosity are not considered, as those effects are included in the normalization uncertainty.

## 7 Results

The number of observed events in data passing the full selection criteria is consistent with the prediction from SM processes, as reported in the last two columns of Table 2. An upper limit on the LQ cross section in the absence of the leptoquark signal is therefore set using a Bayesian approach [38] featuring a flat signal prior, Poisson statistics, and log-normal priors to integrate over the systematic uncertainties marginalized as nuisance parameters. The systematic uncertainties for the background are dominated by the  $t\bar{t}$  and W+jets normalization uncertainty and the uncertainty on the W+jets background shape. Systematic uncertainties on the signal effi-



Table 3: Summary of the systematic uncertainties on the numbers of signal and background events for a LQ with mass 300 GeV.

Source	Systematic Uncertainty [%]	Effect on Signal [%]	Effect on Background [%]
$t\bar{t}$ (W+jets) Normalization	14 (10)	-	10
W+jets Background Shape	44	-	17
Jet/ $E_T$ Energy Scale	5	5	7
Electron Energy Scale Barrel (Endcap)	1 (3)	1	3
MC Statistics	[Table 2]	0.4	9
Electron Trigger/Reco/ID/Isolation	6	6	-
Integrated Luminosity	4	4	-
Total		9	23

ciency are dominated by the uncertainty on the electron selection efficiencies and the jet energy scale.

Figure 2 (left) and Table 4 show the 95% confidence level (CL) upper limit on the LQ pair-production cross section times  $2\beta(1 - \beta)$  as a function of the leptoquark mass. The upper limits are compared to the NLO prediction of the LQ pair-production cross section [21] to set an exclusion of the first generation scalar LQ mass smaller than 320 GeV, assuming  $\beta = 0.5$ , at the 95% CL. The theoretical uncertainties on the signal production cross sections due to the choice of the PDFs (from 8 to 22% for LQ masses from 200 to 500 GeV [21], calculated using CTEQ6.6 [43]) and the choice of renormalization and factorization scales (from 13 to 15% for all considered LQ masses [21], determined by varying the scales between half and twice the LQ mass) are shown as a band around the central value in Fig. 2 (left). If the observed upper limit is compared with the lower boundary of this theoretical uncertainty, the lower limit on the first generation LQ mass for  $\beta = 0.5$  becomes 310 GeV.

Table 4: Observed and expected 95% confidence level (CL) upper limits on the LQ pair-production cross section times  $2\beta(1 - \beta)$  as a function of the leptoquark mass.

$M_{LQ}$ [GeV]	95% CL upper limit on $2\beta(1 - \beta) \times \sigma$ [pb]	
	Observed	Expected
200	1.045	1.316
250	0.551	0.713
280	0.528	0.553
300	0.416	0.474
320	0.409	0.409
340	0.392	0.364
370	0.286	0.317
400	0.271	0.284
450	0.181	0.248
500	0.169	0.226

The  $evjj$  channel is combined with the existing CMS results from the  $eejj$  analysis [19], thereby improving the reach of this search in the intermediate  $\beta$  range. The likelihoods built for the individual dielectron and electron+neutrino channels are multiplied. The same Bayesian ap-




Figure 2: (Left) The expected and observed upper limits at 95% CL on the LQ pair-production cross section times  $2\beta(1 - \beta)$  as functions of the first generation LQ mass. The shaded region is excluded by the current  $D\bar{D}$  limit for  $\beta = 0.5$  in the  $evjj$  channel only. (Right) Observed exclusion limits at 95% CL on the first generation LQ hypothesis in the  $\beta$  versus LQ mass plane using the central value of signal cross section, for the individual  $eejj$  and  $evjj$  channels, and their combination. The combined expected limit is also shown. The shaded region is excluded by the current  $D\bar{D}$  limits, which combine results of  $eejj$ ,  $evjj$ , and  $\nu\nu jj$  decay modes.

proach used to set the individual limits is then applied to the likelihood product to set the combined limit. While integrating over nuisance parameters, the systematic uncertainties on signal efficiency and background are assumed to be fully correlated and the largest uncertainty amongst the two channels is used. Figure 2 (right) shows the exclusion limits at 95% CL on the first generation leptoquark hypothesis in the  $\beta$  versus LQ mass plane, using the central value of the signal cross section, for the individual dielectron and electron+neutrino channels, and their combination.

## 8 Summary

A search for pair-production of first generation scalar leptoquarks in events with an electron, missing transverse energy, and at least two jets has been presented. The contribution of the main backgrounds has been determined by MC studies and the uncertainty estimated by a comparison with the data. The number of observed events passing a selection optimized for exclusion of the LQ hypothesis is in good agreement with the predictions for standard model background processes. A Bayesian approach that includes treatment of the systematic uncertainties as nuisance parameters has been used to set upper limits on the LQ cross section. Prior CMS results in the dielectron channel are combined with this electron+neutrino search. A 95% confidence level combined lower limit is set on the mass of a first generation scalar leptoquark at 340 GeV for  $\beta = 0.5$ . These results represent the most stringent direct limits to date for values of  $\beta$  greater than 0.05.

## Acknowledgments

We wish to thank Michael Krämer for providing the 7 TeV NLO LQ pair-production cross sections and to congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC machine. We thank the technical and administrative staff at CERN and other CMS institutes, and acknowledge support from: FMSR (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES (Croatia); RPF (Cyprus); Academy of Sciences and NICPB (Estonia); Academy of Finland, ME, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRT (Greece); OTKA and NKTH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); NRF and WCU (Korea); LAS (Lithuania); CINVESTAV, CONACYT, SEP, and UASLP-FAI (Mexico); PAEC (Pakistan); SCSR (Poland); FCT (Portugal); JINR (Armenia, Belarus, Georgia, Ukraine, Uzbekistan); MST and MAE (Russia); MSTD (Serbia); MICINN and CPAN (Spain); Swiss Funding Agencies (Switzerland); NSC (Taipei); TUBITAK and TAEK (Turkey); STFC (United Kingdom); DOE and NSF (USA).

## References

- [1] H. Georgi and S. L. Glashow, “Unity of All Elementary-Particle Forces”, *Phys. Rev. Lett.* **32** (1974) 438. doi:10.1103/PhysRevLett.32.438.
- [2] J. C. Pati and A. Salam, “Lepton Number as the Fourth Color”, *Phys. Rev. D* **10** (1974) 275. doi:10.1103/PhysRevD.10.275.
- [3] B. Schrempp and F. Schrempp, “Light Leptoquarks”, *Phys. Lett. B* **153** (1985) 101. doi:10.1016/0370-2693(85)91450-9.
- [4] S. Dimopoulos and L. Susskind, “Mass Without Scalars”, *Nucl. Phys. B* **155** (1979) 237. doi:10.1016/0550-3213(79)90364-X.
- [5] S. Dimopoulos, “Technicolored Signatures”, *Nucl. Phys. B* **168** (1980) 69. doi:10.1016/0550-3213(80)90277-1.
- [6] E. Farhi and L. Susskind, “Technicolor”, *Phys. Rept.* **74** (1981) 277. doi:10.1016/0370-1573(81)90173-3.
- [7] J. L. Hewett and T. G. Rizzo, “Low-Energy Phenomenology of Superstring Inspired E(6) Models”, *Phys. Rept.* **183** (1989) 193. doi:10.1016/0370-1573(89)90071-9.
- [8] D. Acosta and S. Blessing, “Leptoquark searches at HERA and the Tevatron”, *Ann. Rev. Nucl. Part. Sci.* **49** (1999) 389. doi:10.1146/annurev.nucl.49.1.389.
- [9] J. L. Hewett and T. G. Rizzo, “Much ado about leptoquarks: A Comprehensive analysis”, *Phys. Rev. D* **56** (1997) 5709. doi:10.1103/PhysRevD.56.5709.
- [10] W. Buchmuller and D. Wyler, “Constraints on SU(5) Type Leptoquarks”, *Phys. Lett. B* **177** (1986) 377. doi:10.1016/0370-2693(86)90771-9.
- [11] H1 Collaboration, “Search for leptoquark bosons in ep collisions at HERA”, *Phys. Lett. B* **629** (2005) 9. doi:10.1016/j.physletb.2005.09.048.

- [12] ZEUS Collaboration, "A search for resonance decays to lepton + jet at HERA and limits on leptoquarks", *Phys. Rev. D* **68** (2003) 052004.  
doi:10.1103/PhysRevD.68.052004.
- [13] D0 Collaboration, "Search for pair production of first-generation leptoquarks in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV", *Phys. Lett. B* **681** (2009) 224.  
doi:10.1016/j.physletb.2009.10.016.
- [14] CDF Collaboration, "Search for first-generation scalar leptoquarks in  $p\bar{p}$  collisions at  $\sqrt{s} = 1.96$  TeV", *Phys. Rev. D* **72** (2005) 051107.  
doi:10.1103/PhysRevD.72.051107.
- [15] OPAL Collaboration, "Search for pair-produced leptoquarks in  $e^+e^-$  interactions at  $\sqrt{s} \simeq 189\text{--}209$  GeV", *Eur. Phys. J. C* **31** (2003) 281.  
doi:10.1140/epjc/s2003-01325-y.
- [16] L3 Collaboration, "Results from the L3 experiments at LEP", *Phys. Rept.* **236** (1993) 1.  
doi:10.1016/0370-1573(93)90027-B.
- [17] DELPHI Collaboration, "Limits on the production of scalar leptoquarks from  $Z^0$  decays at LEP", *Phys. Lett. B* **316** (1993) 620. doi:10.1016/0370-2693(93)91053-P.
- [18] ALEPH Collaboration, "Searches for new particles in Z decays using the ALEPH detector", *Phys. Rept.* **216** (1992) 253. doi:10.1016/0370-1573(92)90177-2.
- [19] CMS Collaboration, "Search for Pair Production of First-Generation Scalar Leptoquarks in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV", *Phys. Rev. Lett.* **106** (2011) 201802.  
doi:10.1103/PhysRevLett.106.201802.
- [20] ATLAS Collaboration, "Search for pair production of first or second generation leptoquarks in proton-proton collisions at  $\sqrt{s} = 7$  TeV using the ATLAS detector at the LHC", (2011). arXiv:1104.4481.
- [21] M. Krämer et al., "Pair production of scalar leptoquarks at the CERN LHC", *Phys. Rev. D* **71** (2005) 057503. Also private communications.  
doi:10.1103/PhysRevD.71.057503.
- [22] CMS Collaboration, "The CMS experiment at the CERN LHC", *JINST* **3** (2008) S08004.  
doi:10.1088/1748-0221/3/08/S08004.
- [23] CMS Collaboration, "Electron Reconstruction and Identification at  $\sqrt{s} = 7$  TeV", *CMS Physics Analysis Summary CMS-PAS-EGM-10-004* (2010).
- [24] M. Cacciari, G. P. Salam, and G. Soyez, "The anti- $k_T$  jet clustering algorithm", *JHEP* **04** (2008) 063. doi:10.1088/1126-6708/2008/04/063.
- [25] CMS Collaboration, "Particle-Flow Event Reconstruction in CMS and Performance for Jets, Taus, and  $E_T^{\text{miss}}$ ", *CMS Physics Analysis Summary CMS-PAS-PFT-09-001* (2009).
- [26] CMS Collaboration, "Determination of the Jet Energy Scale in CMS with  $pp$  Collisions at  $\sqrt{s} = 7$  TeV", *CMS Physics Analysis Summary CMS-PAS-JME-10-010* (2010).
- [27] CMS Collaboration, "Missing Transverse Energy Performance in Minimum-Bias and Jet Events from Proton-Proton Collisions at  $\sqrt{s} = 7$  TeV", *CMS Physics Analysis Summary CMS-PAS-JME-10-004* (2010).

- 
- [28] CMS Collaboration, “CMS MET Performance in Events Containing Electroweak Bosons from pp Collisions at  $\sqrt{s} = 7$  TeV”, *CMS Physics Analysis Summary CMS-PAS-JME-10-005* (2010).
- [29] CMS Collaboration, “Commissioning of the Particle-Flow Reconstruction in Minimum-Bias and Jet Events from pp Collisions at 7 TeV”, *CMS Physics Analysis Summary CMS-PAS-PFT-10-002* (2010).
- [30] Geant4 Collaboration, “Geant4: A simulation toolkit”, *Nucl. Instrum. and Methods A* **506** (2003) 250. doi:10.1016/S0168-9002(03)01368-8.
- [31] J. Pumplin et al., “New generation of parton distributions with uncertainties from global QCD analysis”, *JHEP* **07** (2002) 012. doi:10.1088/1126-6708/2002/07/012.
- [32] M. L. Mangano et al., “ALPGEN, a generator for hard multiparton processes in hadronic collisions”, *JHEP* **07** (2003) 001. doi:10.1088/1126-6708/2003/07/001.
- [33] F. Maltoni and T. Stelzer, “MadEvent: Automatic event generation with MadGraph”, *JHEP* **02** (2003) 027. doi:10.1088/1126-6708/2003/02/027.
- [34] J. Alwall et al., “MadGraph/MadEvent v4: The New Web Generation”, *JHEP* **09** (2007) 028. doi:10.1088/1126-6708/2007/09/028.
- [35] T. Sjöstrand, S. Mrenna, and P. Skands, “PYTHIA 6.4 Physics and Manual; v6.420, tune D6T”, *JHEP* **05** (2006) 026. doi:10.1088/1126-6708/2006/05/026.
- [36] R. Field, “Physics at the Tevatron”, *Acta Phys. Polon. B* **39** (2008) 2611.
- [37] R. Field, “Studying the underlying event at CDF and the LHC”, in *Proceedings of the First International Workshop on Multiple Partonic Interactions at the LHC MPI’08*, P. Bartalini and L. Fanó, eds. Perugia, Italy, October, 2009. arXiv:1003.4220.
- [38] I. Bertram, G. Landsberg, J. Linnemann et al., “A Recipe for the construction of confidence limits”, Technical Report TM-2104, Fermilab, 2000.
- [39] CMS Collaboration, “Measurement of the  $t\bar{t}$  production cross section and the top quark mass in the dilepton channel in pp collisions at  $\sqrt{s} = 7$  TeV”, (2011). CERN-PH-EP-2011-055. To be submitted for publication in *Eur. Phys. J. C*.
- [40] CMS Collaboration, “Search for Resonances in the Dilepton Mass Distribution in pp Collisions at  $\sqrt{s} = 7$  TeV”, (2011). arXiv:1103.0981. Accepted for publication in *JHEP*.
- [41] CMS Collaboration, “Absolute luminosity normalization”, *CMS Detector Performance Summary CMS-DP-2011-002* (2011).
- [42] D. Bourilkov, R. C. Group, and M. R. Whalley, “LHAPDF: PDF use from the Tevatron to the LHC”, arXiv:hep-ph/0605240.
- [43] P. M. Nadolsky et al., “Implications of CTEQ global analysis for collider observables”, *Phys. Rev. D* **78** (2008) 013004. doi:10.1103/PhysRevD.78.013004.



## A The CMS Collaboration

### **Yerevan Physics Institute, Yerevan, Armenia**

S. Chatrchyan, V. Khachatryan, A.M. Sirunyan, A. Tumasyan

### **Institut für Hochenergiephysik der OeAW, Wien, Austria**

W. Adam, T. Bergauer, M. Dragicevic, J. Erö, C. Fabjan, M. Friedl, R. Frühwirth, V.M. Ghete, J. Hammer<sup>1</sup>, S. Häsnel, M. Hoch, N. Hörmann, J. Hrubec, M. Jeitler, W. Kiesenhofer, M. Krammer, D. Liko, I. Mikulec, M. Pernicka, H. Rohringer, R. Schöfbeck, J. Strauss, A. Taurok, F. Teischinger, P. Wagner, W. Waltenberger, G. Walzel, E. Widl, C.-E. Wulz

### **National Centre for Particle and High Energy Physics, Minsk, Belarus**

V. Mossolov, N. Shumeiko, J. Suarez Gonzalez

### **Universiteit Antwerpen, Antwerpen, Belgium**

S. Bansal, L. Benucci, E.A. De Wolf, X. Janssen, J. Maes, T. Maes, L. Mucibello, S. Ochesanu, B. Roland, R. Rougny, M. Selvaggi, H. Van Haevermaet, P. Van Mechelen, N. Van Remortel

### **Vrije Universiteit Brussel, Brussel, Belgium**

F. Blekman, S. Blyweert, J. D'Hondt, O. Devroede, R. Gonzalez Suarez, A. Kalogeropoulos, M. Maes, W. Van Doninck, P. Van Mulders, G.P. Van Onsem, I. Vilella

### **Université Libre de Bruxelles, Bruxelles, Belgium**

O. Charaf, B. Clerbaux, G. De Lentdecker, V. Dero, A.P.R. Gay, G.H. Hammad, T. Hreus, P.E. Marage, L. Thomas, C. Vander Velde, P. Vanlaer

### **Ghent University, Ghent, Belgium**

V. Adler, A. Cimmino, S. Costantini, M. Grunewald, B. Klein, J. Lellouch, A. Marinov, J. Mccartin, D. Ryckbosch, F. Thyssen, M. Tytgat, L. Vanelderen, P. Verwilligen, S. Walsh, N. Zaganidis

### **Université Catholique de Louvain, Louvain-la-Neuve, Belgium**

S. Basegmez, G. Bruno, J. Caudron, L. Ceard, E. Cortina Gil, J. De Favereau De Jeneret, C. Delaere<sup>1</sup>, D. Favart, A. Giammanco, G. Grégoire, J. Hollar, V. Lemaître, J. Liao, O. Militaru, S. Oryn, D. Pagano, A. Pin, K. Piotrkowski, N. Schul

### **Université de Mons, Mons, Belgium**

N. Bely, T. Caebergs, E. Daubie

### **Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil**

G.A. Alves, D. De Jesus Damiao, M.E. Pol, M.H.G. Souza

### **Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil**

W. Carvalho, E.M. Da Costa, C. De Oliveira Martins, S. Fonseca De Souza, L. Mundim, H. Nogima, V. Oguri, W.L. Prado Da Silva, A. Santoro, S.M. Silva Do Amaral, A. Sznajder

### **Instituto de Fisica Teorica, Universidade Estadual Paulista, Sao Paulo, Brazil**

C.A. Bernardes<sup>2</sup>, F.A. Dias, T.R. Fernandez Perez Tomei, E. M. Gregores<sup>2</sup>, C. Lagana, F. Marinho, P.G. Mercadante<sup>2</sup>, S.F. Novaes, Sandra S. Padula

### **Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria**

N. Darmenov<sup>1</sup>, V. Genchev<sup>1</sup>, P. Iaydjiev<sup>1</sup>, S. Piperov, M. Rodozov, S. Stoykova, G. Sultanov, V. Tcholakov, R. Trayanov

**University of Sofia, Sofia, Bulgaria**

A. Dimitrov, R. Hadjiiska, A. Karadzhinova, V. Kozhuharov, L. Litov, M. Mateev, B. Pavlov, P. Petkov

**Institute of High Energy Physics, Beijing, China**

J.G. Bian, G.M. Chen, H.S. Chen, C.H. Jiang, D. Liang, S. Liang, X. Meng, J. Tao, J. Wang, J. Wang, X. Wang, Z. Wang, H. Xiao, M. Xu, J. Zang, Z. Zhang

**State Key Lab. of Nucl. Phys. and Tech., Peking University, Beijing, China**

Y. Ban, S. Guo, Y. Guo, W. Li, Y. Mao, S.J. Qian, H. Teng, B. Zhu, W. Zou

**Universidad de Los Andes, Bogota, Colombia**

A. Cabrera, B. Gomez Moreno, A.A. Ocampo Rios, A.F. Osorio Oliveros, J.C. Sanabria

**Technical University of Split, Split, Croatia**

N. Godinovic, D. Lelas, K. Lelas, R. Plestina<sup>3</sup>, D. Polic, I. Puljak

**University of Split, Split, Croatia**

Z. Antunovic, M. Dzelalija

**Institute Rudjer Boskovic, Zagreb, Croatia**

V. Brigljevic, S. Duric, K. Kadija, S. Morovic

**University of Cyprus, Nicosia, Cyprus**

A. Attikis, M. Galanti, J. Mousa, C. Nicolaou, F. Ptochos, P.A. Razis

**Charles University, Prague, Czech Republic**

M. Finger, M. Finger Jr.

**Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt**

A. Aly, A. Ellithi Kamel, S. Khalil<sup>4</sup>

**National Institute of Chemical Physics and Biophysics, Tallinn, Estonia**

A. Hektor, M. Kadastik, M. Müntel, M. Raidal, L. Rebane

**Department of Physics, University of Helsinki, Helsinki, Finland**

V. Azzolini, P. Eerola, G. Fedi

**Helsinki Institute of Physics, Helsinki, Finland**

S. Czellar, J. Härkönen, A. Heikkinen, V. Karimäki, R. Kinnunen, M.J. Kortelainen, T. Lampén, K. Lassila-Perini, S. Lehti, T. Lindén, P. Luukka, T. Mäenpää, E. Tuominen, J. Tuominiemi, E. Tuovinen, D. Ungaro, L. Wendland

**Lappeenranta University of Technology, Lappeenranta, Finland**

K. Banzuzi, A. Korpela, T. Tuuva

**Laboratoire d'Annecy-le-Vieux de Physique des Particules, IN2P3-CNRS, Annecy-le-Vieux, France**

D. Sillou

**DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France**

M. Besancon, S. Choudhury, M. Dejjardin, D. Denegri, B. Fabbro, J.L. Faure, F. Ferri, S. Ganjour, F.X. Gentit, A. Givernaud, P. Gras, G. Hamel de Monchenault, P. Jarry, E. Locci, J. Malcles, M. Marionneau, L. Millischer, J. Rander, A. Rosowsky, I. Shreyber, M. Titov, P. Verrecchia



**Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France**

S. Baffioni, F. Beaudette, L. Benhabib, L. Bianchini, M. Bluj<sup>5</sup>, C. Broutin, P. Busson, C. Charlot, T. Dahms, L. Dobrzynski, S. Elgammal, R. Granier de Cassagnac, M. Haguenaer, P. Miné, C. Mironov, C. Ochando, P. Paganini, D. Sabes, R. Salerno, Y. Sirois, C. Thiebaut, B. Wyslouch<sup>6</sup>, A. Zabi

**Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France**

J.-L. Agram<sup>7</sup>, J. Andrea, D. Bloch, D. Bodin, J.-M. Brom, M. Cardaci, E.C. Chabert, C. Collard, E. Conte<sup>7</sup>, F. Drouhin<sup>7</sup>, C. Ferro, J.-C. Fontaine<sup>7</sup>, D. Gelé, U. Goerlach, S. Greder, P. Juillot, M. Karim<sup>7</sup>, A.-C. Le Bihan, Y. Mikami, P. Van Hove

**Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules (IN2P3), Villeurbanne, France**

F. Fassi, D. Mercier

**Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France**

C. Baty, S. Beauceron, N. Beaupere, M. Bedjidian, O. Bondu, G. Boudoul, D. Boumediene, H. Brun, J. Chasserat, R. Chierici, D. Contardo, P. Depasse, H. El Mamouni, J. Fay, S. Gascon, B. Ille, T. Kurca, T. Le Grand, M. Lethuillier, L. Mirabito, S. Perries, V. Sordini, S. Tosi, Y. Tschudi, P. Verdier

**Institute of High Energy Physics and Informatization, Tbilisi State University, Tbilisi, Georgia**

D. Lomidze

**RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany**

G. Anagnostou, M. Edelhoff, L. Feld, N. Heracleous, O. Hindrichs, R. Jussen, K. Klein, J. Merz, N. Mohr, A. Ostapchuk, A. Perieanu, F. Raupach, J. Sammet, S. Schael, D. Sprenger, H. Weber, M. Weber, B. Wittmer

**RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany**

M. Ata, W. Bender, E. Dietz-Laursonn, M. Erdmann, J. Frangenheim, T. Hebbeker, A. Hinzmann, K. Hoepfner, T. Klimkovich, D. Klingebiel, P. Kreuzer, D. Lanske<sup>†</sup>, C. Magass, M. Merschmeyer, A. Meyer, P. Papacz, H. Pieta, H. Reithler, S.A. Schmitz, L. Sonnenschein, J. Steggemann, D. Teyssier

**RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany**

M. Bontenackels, M. Davids, M. Duda, G. Flügge, H. Geenen, M. Giffels, W. Haj Ahmad, D. Heydhausen, T. Kress, Y. Kuessel, A. Linn, A. Nowack, L. Perchalla, O. Pooth, J. Rennefeld, P. Sauerland, A. Stahl, M. Thomas, D. Tornier, M.H. Zoeller

**Deutsches Elektronen-Synchrotron, Hamburg, Germany**

M. Aldaya Martin, W. Behrenhoff, U. Behrens, M. Bergholz<sup>8</sup>, A. Bethani, K. Borras, A. Cakir, A. Campbell, E. Castro, D. Dammann, G. Eckerlin, D. Eckstein, A. Flossdorf, G. Flucke, A. Geiser, J. Hauk, H. Jung<sup>1</sup>, M. Kasemann, I. Katkov<sup>9</sup>, P. Katsas, C. Kleinwort, H. Kluge, A. Knutsson, M. Krämer, D. Krücker, E. Kuznetsova, W. Lange, W. Lohmann<sup>8</sup>, R. Mankel, M. Marienfeld, I.-A. Melzer-Pellmann, A.B. Meyer, J. Mnich, A. Mussgiller, J. Olzem, A. Petrukhin, D. Pitzl, A. Raspereza, A. Raval, M. Rosin, R. Schmidt<sup>8</sup>, T. Schoerner-Sadenius, N. Sen, A. Spiridonov, M. Stein, J. Tomaszewska, R. Walsh, C. Wissing

**University of Hamburg, Hamburg, Germany**

C. Autermann, V. Blobel, S. Bobrovskyi, J. Draeger, H. Enderle, U. Gebbert, M. Görner,

K. Kaschube, G. Kaussen, H. Kirschenmann, R. Klanner, J. Lange, B. Mura, S. Naumann-Emme, F. Nowak, N. Pietsch, C. Sander, H. Schettler, P. Schleper, E. Schlieckau, M. Schröder, T. Schum, J. Schwandt, H. Stadie, G. Steinbrück, J. Thomsen

**Institut für Experimentelle Kernphysik, Karlsruhe, Germany**

C. Barth, J. Bauer, J. Berger, V. Buege, T. Chwalek, W. De Boer, A. Dierlamm, G. Dirkes, M. Feindt, J. Gruschke, C. Hackstein, F. Hartmann, M. Heinrich, H. Held, K.H. Hoffmann, S. Honc, J.R. Komaragiri, T. Kuhr, D. Martschei, S. Mueller, Th. Müller, M. Niegel, O. Oberst, A. Oehler, J. Ott, T. Peiffer, G. Quast, K. Rabbertz, F. Ratnikov, N. Ratnikova, M. Renz, C. Saout, A. Scheurer, P. Schieferdecker, F.-P. Schilling, G. Schott, H.J. Simonis, F.M. Stober, D. Troendle, J. Wagner-Kuhr, T. Weiler, M. Zeise, V. Zhukov<sup>9</sup>, E.B. Ziebarth

**Institute of Nuclear Physics "Demokritos", Aghia Paraskevi, Greece**

G. Daskalakis, T. Geralis, S. Kesisoglou, A. Kyriakis, D. Loukas, I. Manolakos, A. Markou, C. Markou, C. Mavrommatis, E. Ntomari, E. Petrakou

**University of Athens, Athens, Greece**

L. Gouskos, T.J. Mertzimekis, A. Panagiotou, E. Stiliaris

**University of Ioánnina, Ioánnina, Greece**

I. Evangelou, C. Foudas, P. Kokkas, N. Manthos, I. Papadopoulos, V. Patras, F.A. Triantis

**KFKI Research Institute for Particle and Nuclear Physics, Budapest, Hungary**

A. Aranyi, G. Bencze, L. Boldizsar, C. Hajdu<sup>1</sup>, P. Hidas, D. Horvath<sup>10</sup>, A. Kapusi, K. Krajczar<sup>11</sup>, F. Sikler<sup>1</sup>, G.I. Veres<sup>11</sup>, G. Vesztergombi<sup>11</sup>

**Institute of Nuclear Research ATOMKI, Debrecen, Hungary**

N. Beni, J. Molnar, J. Palinkas, Z. Szillasi, V. Veszpremi

**University of Debrecen, Debrecen, Hungary**

P. Raics, Z.L. Trocsanyi, B. Ujvari

**Panjab University, Chandigarh, India**

S.B. Beri, V. Bhatnagar, N. Dhingra, R. Gupta, M. Jindal, M. Kaur, J.M. Kohli, M.Z. Mehta, N. Nishu, L.K. Saini, A. Sharma, A.P. Singh, J. Singh, S.P. Singh

**University of Delhi, Delhi, India**

S. Ahuja, S. Bhattacharya, B.C. Choudhary, B. Gomber, P. Gupta, S. Jain, S. Jain, R. Khurana, A. Kumar, M. Naimuddin, K. Ranjan, R.K. Shivpuri

**Saha Institute of Nuclear Physics, Kolkata, India**

S. Dutta, S. Sarkar

**Bhabha Atomic Research Centre, Mumbai, India**

R.K. Choudhury, D. Dutta, S. Kailas, V. Kumar, P. Mehta, A.K. Mohanty<sup>1</sup>, L.M. Pant, P. Shukla

**Tata Institute of Fundamental Research - EHEP, Mumbai, India**

T. Aziz, M. Guchait<sup>12</sup>, A. Gurtu, M. Maity<sup>13</sup>, D. Majumder, G. Majumder, K. Mazumdar, G.B. Mohanty, A. Saha, K. Sudhakar, N. Wickramage

**Tata Institute of Fundamental Research - HECR, Mumbai, India**

S. Banerjee, S. Dugad, N.K. Mondal

**Institute for Research and Fundamental Sciences (IPM), Tehran, Iran**

H. Arfaei, H. Bakhshiansohi<sup>14</sup>, S.M. Etesami, A. Fahim<sup>14</sup>, M. Hashemi, A. Jafari<sup>14</sup>, M. Khakzad,

A. Mohammadi<sup>15</sup>, M. Mohammadi Najafabadi, S. Paktinat Mehdiabadi, B. Safarzadeh, M. Zeinali<sup>16</sup>

**INFN Sezione di Bari <sup>a</sup>, Università di Bari <sup>b</sup>, Politecnico di Bari <sup>c</sup>, Bari, Italy**

M. Abbrescia<sup>a,b</sup>, L. Barbone<sup>a,b</sup>, C. Calabria<sup>a,b</sup>, A. Colaleo<sup>a</sup>, D. Creanza<sup>a,c</sup>, N. De Filippis<sup>a,c,1</sup>, M. De Palma<sup>a,b</sup>, L. Fiore<sup>a</sup>, G. Iaselli<sup>a,c</sup>, L. Lusito<sup>a,b</sup>, G. Maggi<sup>a,c</sup>, M. Maggi<sup>a</sup>, N. Manna<sup>a,b</sup>, B. Marangelli<sup>a,b</sup>, S. My<sup>a,c</sup>, S. Nuzzo<sup>a,b</sup>, N. Pacifico<sup>a,b</sup>, G.A. Pierro<sup>a</sup>, A. Pompili<sup>a,b</sup>, G. Pugliese<sup>a,c</sup>, F. Romano<sup>a,c</sup>, G. Roselli<sup>a,b</sup>, G. Selvaggi<sup>a,b</sup>, L. Silvestris<sup>a</sup>, R. Trentadue<sup>a</sup>, S. Tupputi<sup>a,b</sup>, G. Zito<sup>a</sup>

**INFN Sezione di Bologna <sup>a</sup>, Università di Bologna <sup>b</sup>, Bologna, Italy**

G. Abbiendi<sup>a</sup>, A.C. Benvenuti<sup>a</sup>, D. Bonacorsi<sup>a</sup>, S. Braibant-Giacomelli<sup>a,b</sup>, L. Brigliadori<sup>a</sup>, P. Capiluppi<sup>a,b</sup>, A. Castro<sup>a,b</sup>, F.R. Cavallo<sup>a</sup>, M. Cuffiani<sup>a,b</sup>, G.M. Dallavalle<sup>a</sup>, F. Fabbri<sup>a</sup>, A. Fanfani<sup>a,b</sup>, D. Fasanella<sup>a</sup>, P. Giacomelli<sup>a</sup>, M. Giunta<sup>a</sup>, C. Grandi<sup>a</sup>, S. Marcellini<sup>a</sup>, G. Masetti<sup>b</sup>, M. Meneghelli<sup>a,b</sup>, A. Montanari<sup>a</sup>, F.L. Navarria<sup>a,b</sup>, F. Odoricci<sup>a</sup>, A. Perrotta<sup>a</sup>, F. Primavera<sup>a</sup>, A.M. Rossi<sup>a,b</sup>, T. Rovelli<sup>a,b</sup>, G. Siroli<sup>a,b</sup>, R. Travaglini<sup>a,b</sup>

**INFN Sezione di Catania <sup>a</sup>, Università di Catania <sup>b</sup>, Catania, Italy**

S. Albergo<sup>a,b</sup>, G. Cappello<sup>a,b</sup>, M. Chiorboli<sup>a,b,1</sup>, S. Costa<sup>a,b</sup>, A. Tricomi<sup>a,b</sup>, C. Tuve<sup>a,b</sup>

**INFN Sezione di Firenze <sup>a</sup>, Università di Firenze <sup>b</sup>, Firenze, Italy**

G. Barbagli<sup>a</sup>, V. Ciulli<sup>a,b</sup>, C. Civinini<sup>a</sup>, R. D'Alessandro<sup>a,b</sup>, E. Focardi<sup>a,b</sup>, S. Frosali<sup>a,b</sup>, E. Gallo<sup>a</sup>, S. Gonzi<sup>a,b</sup>, P. Lenzi<sup>a,b</sup>, M. Meschini<sup>a</sup>, S. Paoletti<sup>a</sup>, G. Sguazzoni<sup>a</sup>, A. Tropiano<sup>a,1</sup>

**INFN Laboratori Nazionali di Frascati, Frascati, Italy**

L. Benussi, S. Bianco, S. Colafranceschi<sup>17</sup>, F. Fabbri, D. Piccolo

**INFN Sezione di Genova, Genova, Italy**

P. Fabbriatore, R. Musenich

**INFN Sezione di Milano-Bicocca <sup>a</sup>, Università di Milano-Bicocca <sup>b</sup>, Milano, Italy**

A. Benaglia<sup>a,b</sup>, F. De Guio<sup>a,b,1</sup>, L. Di Matteo<sup>a,b</sup>, S. Gennai<sup>1</sup>, A. Ghezzi<sup>a,b</sup>, S. Malvezzi<sup>a</sup>, A. Martelli<sup>a,b</sup>, A. Massironi<sup>a,b</sup>, D. Menasce<sup>a</sup>, L. Moroni<sup>a</sup>, M. Paganoni<sup>a,b</sup>, D. Pedrini<sup>a</sup>, S. Ragazzi<sup>a,b</sup>, N. Redaelli<sup>a</sup>, S. Sala<sup>a</sup>, T. Tabarelli de Fatis<sup>a,b</sup>

**INFN Sezione di Napoli <sup>a</sup>, Università di Napoli "Federico II" <sup>b</sup>, Napoli, Italy**

S. Buontempo<sup>a</sup>, C.A. Carrillo Montoya<sup>a,1</sup>, N. Cavallo<sup>a,18</sup>, A. De Cosa<sup>a,b</sup>, F. Fabozzi<sup>a,18</sup>, A.O.M. Iorio<sup>a,1</sup>, L. Lista<sup>a</sup>, M. Merola<sup>a,b</sup>, P. Paolucci<sup>a</sup>

**INFN Sezione di Padova <sup>a</sup>, Università di Padova <sup>b</sup>, Università di Trento (Trento) <sup>c</sup>, Padova, Italy**

P. Azzi<sup>a</sup>, N. Bacchetta<sup>a</sup>, P. Bellan<sup>a,b</sup>, D. Bisello<sup>a,b</sup>, A. Branca<sup>a</sup>, R. Carlin<sup>a,b</sup>, P. Checchia<sup>a</sup>, M. De Mattia<sup>a,b</sup>, T. Dorigo<sup>a</sup>, U. Dosselli<sup>a</sup>, F. Fanzago<sup>a</sup>, F. Gasparini<sup>a,b</sup>, U. Gasparini<sup>a,b</sup>, A. Gozzelino, S. Lacaprara<sup>a,19</sup>, I. Lazzizzera<sup>a,c</sup>, M. Margoni<sup>a,b</sup>, M. Mazzucato<sup>a</sup>, A.T. Meneguzzo<sup>a,b</sup>, M. Nespolo<sup>a,1</sup>, L. Perrozzi<sup>a,1</sup>, N. Pozzobon<sup>a,b</sup>, P. Ronchese<sup>a,b</sup>, F. Simonetto<sup>a,b</sup>, E. Torassa<sup>a</sup>, M. Tosi<sup>a,b</sup>, S. Vanini<sup>a,b</sup>, P. Zotto<sup>a,b</sup>, G. Zumerle<sup>a,b</sup>

**INFN Sezione di Pavia <sup>a</sup>, Università di Pavia <sup>b</sup>, Pavia, Italy**

P. Baesso<sup>a,b</sup>, U. Berzano<sup>a</sup>, S.P. Ratti<sup>a,b</sup>, C. Riccardi<sup>a,b</sup>, P. Torre<sup>a,b</sup>, P. Vitulo<sup>a,b</sup>, C. Viviani<sup>a,b</sup>

**INFN Sezione di Perugia <sup>a</sup>, Università di Perugia <sup>b</sup>, Perugia, Italy**

M. Biasini<sup>a,b</sup>, G.M. Bilei<sup>a</sup>, B. Caponeri<sup>a,b</sup>, L. Fanò<sup>a,b</sup>, P. Lariccia<sup>a,b</sup>, A. Lucaroni<sup>a,b,1</sup>, G. Mantovani<sup>a,b</sup>, M. Menichelli<sup>a</sup>, A. Nappi<sup>a,b</sup>, F. Romeo<sup>a,b</sup>, A. Santocchia<sup>a,b</sup>, S. Taroni<sup>a,b,1</sup>, M. Valdata<sup>a,b</sup>

**INFN Sezione di Pisa <sup>a</sup>, Università di Pisa <sup>b</sup>, Scuola Normale Superiore di Pisa <sup>c</sup>, Pisa, Italy**  
 P. Azzurri<sup>a,c</sup>, G. Bagliesi<sup>a</sup>, J. Bernardini<sup>a,b</sup>, T. Boccali<sup>a,1</sup>, G. Broccolo<sup>a,c</sup>, R. Castaldi<sup>a</sup>,  
 R.T. D’Agnolo<sup>a,c</sup>, R. Dell’Orso<sup>a</sup>, F. Fiori<sup>a,b</sup>, L. Foà<sup>a,c</sup>, A. Giassi<sup>a</sup>, A. Kraan<sup>a</sup>, F. Ligabue<sup>a,c</sup>,  
 T. Lomtadze<sup>a</sup>, L. Martini<sup>a,20</sup>, A. Messineo<sup>a,b</sup>, F. Palla<sup>a</sup>, G. Segneri<sup>a</sup>, A.T. Serban<sup>a</sup>, P. Spagnolo<sup>a</sup>,  
 R. Tenchini<sup>a</sup>, G. Tonelli<sup>a,b,1</sup>, A. Venturi<sup>a,1</sup>, P.G. Verdini<sup>a</sup>

**INFN Sezione di Roma <sup>a</sup>, Università di Roma “La Sapienza” <sup>b</sup>, Roma, Italy**  
 L. Barone<sup>a,b</sup>, F. Cavallari<sup>a</sup>, D. Del Re<sup>a,b</sup>, E. Di Marco<sup>a,b</sup>, M. Diemoz<sup>a</sup>, D. Franci<sup>a,b</sup>, M. Grassi<sup>a,1</sup>,  
 E. Longo<sup>a,b</sup>, P. Meridiani, S. Nourbakhsh<sup>a</sup>, G. Organtini<sup>a,b</sup>, F. Pandolfi<sup>a,b,1</sup>, R. Paramatti<sup>a</sup>,  
 S. Rahatlou<sup>a,b</sup>, C. Rovelli<sup>1</sup>

**INFN Sezione di Torino <sup>a</sup>, Università di Torino <sup>b</sup>, Università del Piemonte Orientale (Novara) <sup>c</sup>, Torino, Italy**

N. Amapane<sup>a,b</sup>, R. Arcidiacono<sup>a,c</sup>, S. Argiro<sup>a,b</sup>, M. Arneodo<sup>a,c</sup>, C. Biino<sup>a</sup>, C. Botta<sup>a,b,1</sup>,  
 N. Cartiglia<sup>a</sup>, R. Castello<sup>a,b</sup>, M. Costa<sup>a,b</sup>, N. Demaria<sup>a</sup>, A. Graziano<sup>a,b,1</sup>, C. Mariotti<sup>a</sup>,  
 M. Marone<sup>a,b</sup>, S. Maselli<sup>a</sup>, E. Migliore<sup>a,b</sup>, G. Mila<sup>a,b</sup>, V. Monaco<sup>a,b</sup>, M. Musich<sup>a,b</sup>,  
 M.M. Obertino<sup>a,c</sup>, N. Pastrone<sup>a</sup>, M. Pelliccioni<sup>a,b</sup>, A. Romero<sup>a,b</sup>, M. Ruspa<sup>a,c</sup>, R. Sacchi<sup>a,b</sup>,  
 V. Sola<sup>a,b</sup>, A. Solano<sup>a,b</sup>, A. Staiano<sup>a</sup>, A. Vilela Pereira<sup>a</sup>

**INFN Sezione di Trieste <sup>a</sup>, Università di Trieste <sup>b</sup>, Trieste, Italy**

S. Belforte<sup>a</sup>, F. Cossutti<sup>a</sup>, G. Della Ricca<sup>a,b</sup>, B. Gobbo<sup>a</sup>, D. Montanino<sup>a,b</sup>, A. Penzo<sup>a</sup>

**Kangwon National University, Chunchon, Korea**

S.G. Heo, S.K. Nam

**Kyungpook National University, Daegu, Korea**

S. Chang, J. Chung, D.H. Kim, G.N. Kim, J.E. Kim, D.J. Kong, H. Park, S.R. Ro, D. Son, D.C. Son,  
 T. Son

**Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea**

Zero Kim, J.Y. Kim, S. Song

**Korea University, Seoul, Korea**

S. Choi, B. Hong, M. Jo, H. Kim, J.H. Kim, T.J. Kim, K.S. Lee, D.H. Moon, S.K. Park, H.B. Rhee,  
 E. Seo, K.S. Sim

**University of Seoul, Seoul, Korea**

M. Choi, S. Kang, H. Kim, C. Park, I.C. Park, S. Park, G. Ryu

**Sungkyunkwan University, Suwon, Korea**

Y. Choi, Y.K. Choi, J. Goh, M.S. Kim, E. Kwon, J. Lee, S. Lee, H. Seo, I. Yu

**Vilnius University, Vilnius, Lithuania**

M.J. Bilinskas, I. Griglionis, M. Janulis, D. Martisiute, P. Petrov, T. Sabonis

**Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico**

H. Castilla-Valdez, E. De La Cruz-Burelo, I. Heredia-de La Cruz, R. Lopez-Fernandez,  
 R. Magaña Villalba, A. Sánchez-Hernández, L.M. Villasenor-Cendejas

**Universidad Iberoamericana, Mexico City, Mexico**

S. Carrillo Moreno, F. Vazquez Valencia

**Benemerita Universidad Autonoma de Puebla, Puebla, Mexico**

H.A. Salazar Ibarguen

**Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico**

E. Casimiro Linares, A. Morelos Pineda, M.A. Reyes-Santos

**University of Auckland, Auckland, New Zealand**

D. Krofcheck, J. Tam

**University of Canterbury, Christchurch, New Zealand**

P.H. Butler, R. Doesburg, H. Silverwood

**National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan**

M. Ahmad, I. Ahmed, M.I. Asghar, H.R. Hoorani, W.A. Khan, T. Khurshid, S. Qazi

**Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland**

G. Brona, M. Cwiok, W. Dominik, K. Doroba, A. Kalinowski, M. Konecki, J. Krolikowski

**Soltan Institute for Nuclear Studies, Warsaw, Poland**

T. Frueboes, R. Gokieli, M. Górski, M. Kazana, K. Nawrocki, K. Romanowska-Rybinska, M. Szleper, G. Wrochna, P. Zalewski

**Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal**

N. Almeida, P. Bargassa, A. David, P. Faccioli, P.G. Ferreira Parracho, M. Gallinaro, P. Musella, A. Nayak, P.Q. Ribeiro, J. Seixas, J. Varela

**Joint Institute for Nuclear Research, Dubna, Russia**

S. Afanasiev, P. Bunin, I. Golutvin, A. Kamenev, V. Karjavin, G. Kozlov, A. Lanev, P. Moisezenz, V. Palichik, V. Perelygin, M. Savina, S. Shmatov, V. Smirnov, A. Volodko, A. Zarubin

**Petersburg Nuclear Physics Institute, Gatchina (St Petersburg), Russia**

V. Golovtsov, Y. Ivanov, V. Kim, P. Levchenko, V. Murzin, V. Oreshkin, I. Smirnov, V. Sulimov, L. Uvarov, S. Vavilov, A. Vorobyev, An. Vorobyev

**Institute for Nuclear Research, Moscow, Russia**

Yu. Andreev, A. Dermenev, S. Gninenko, N. Golubev, M. Kirsanov, N. Krasnikov, V. Matveev, A. Pashenkov, A. Toropin, S. Troitsky

**Institute for Theoretical and Experimental Physics, Moscow, Russia**V. Epshteyn, V. Gavrilov, V. Kaftanov<sup>†</sup>, M. Kossov<sup>1</sup>, A. Krokhotin, N. Lychkovskaya, V. Popov, G. Safronov, S. Semenov, V. Stolin, E. Vlasov, A. Zhokin**Moscow State University, Moscow, Russia**E. Boos, M. Dubinin<sup>21</sup>, L. Dudko, A. Ershov, A. Gribushin, O. Kodolova, I. Lokhtin, A. Markina, S. Obraztsov, M. Perfilov, S. Petrushanko, L. Sarycheva, V. Savrin, A. Snigirev**P.N. Lebedev Physical Institute, Moscow, Russia**

V. Andreev, M. Azarkin, I. Dremin, M. Kirakosyan, A. Leonidov, S.V. Rusakov, A. Vinogradov

**State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia**I. Azhgirey, S. Bitioukov, V. Grishin<sup>1</sup>, V. Kachanov, D. Konstantinov, A. Korablev, V. Krychkin, V. Petrov, R. Ryutin, S. Slabospitsky, A. Sobol, L. Tourtchanovitch, S. Troshin, N. Tyurin, A. Uzunian, A. Volkov**University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia**P. Adzic<sup>22</sup>, M. Djordjevic, D. Krpic<sup>22</sup>, J. Milosevic

**Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain**

M. Aguilar-Benitez, J. Alcaraz Maestre, P. Arce, C. Battilana, E. Calvo, M. Cepeda, M. Cerrada, M. Chamizo Llatas, N. Colino, B. De La Cruz, A. Delgado Peris, C. Diez Pardos, D. Domínguez Vázquez, C. Fernandez Bedoya, J.P. Fernández Ramos, A. Ferrando, J. Flix, M.C. Fouz, P. Garcia-Abia, O. Gonzalez Lopez, S. Goy Lopez, J.M. Hernandez, M.I. Josa, G. Merino, J. Puerta Pelayo, I. Redondo, L. Romero, J. Santaolalla, M.S. Soares, C. Willmott

**Universidad Autónoma de Madrid, Madrid, Spain**

C. Albajar, G. Codispoti, J.F. de Trocóniz

**Universidad de Oviedo, Oviedo, Spain**

J. Cuevas, J. Fernandez Menendez, S. Folgueras, I. Gonzalez Caballero, L. Lloret Iglesias, J.M. Vizán García

**Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain**

J.A. Brochero Cifuentes, I.J. Cabrillo, A. Calderon, S.H. Chuang, J. Duarte Campderros, M. Felcini<sup>23</sup>, M. Fernandez, G. Gomez, J. Gonzalez Sanchez, C. Jorda, P. Lobelle Pardo, A. Lopez Virto, J. Marco, R. Marco, C. Martinez Rivero, F. Matorras, F.J. Munoz Sanchez, J. Piedra Gomez<sup>24</sup>, T. Rodrigo, A.Y. Rodríguez-Marrero, A. Ruiz-Jimeno, L. Scodellaro, M. Sobron Sanudo, I. Vila, R. Vilar Cortabitarte

**CERN, European Organization for Nuclear Research, Geneva, Switzerland**

D. Abbaneo, E. Auffray, G. Auzinger, P. Baillon, A.H. Ball, D. Barney, A.J. Bell<sup>25</sup>, D. Benedetti, C. Bernet<sup>3</sup>, W. Bialas, P. Bloch, A. Bocci, S. Bolognesi, M. Bona, H. Breuker, K. Bunkowski, T. Camporesi, G. Cerminara, J.A. Coarasa Perez, B. Curé, D. D'Enterria, A. De Roeck, S. Di Guida, N. Dupont-Sagorin, A. Elliott-Peisert, B. Frisch, W. Funk, A. Gaddi, G. Georgiou, H. Gerwig, D. Gigi, K. Gill, D. Giordano, F. Glege, R. Gomez-Reino Garrido, M. Gouzevitch, P. Govoni, S. Gowdy, L. Guiducci, M. Hansen, C. Hartl, J. Harvey, J. Hegeman, B. Hegner, H.F. Hoffmann, A. Honma, V. Innocente, P. Janot, K. Kaadze, E. Karavakis, P. Lecoq, C. Lourenço, T. Mäki, M. Malberti, L. Malgeri, M. Mannelli, L. Masetti, A. Maurisset, F. Meijers, S. Mersi, E. Meschi, R. Moser, M.U. Mozer, M. Mulders, E. Nesvold<sup>1</sup>, M. Nguyen, T. Orimoto, L. Orsini, E. Perez, A. Petrilli, A. Pfeiffer, M. Pierini, M. Pimiä, D. Piparo, G. Polese, A. Racz, J. Rodrigues Antunes, G. Rolandi<sup>26</sup>, T. Rommerskirchen, M. Rovere, H. Sakulin, C. Schäfer, C. Schwick, I. Segoni, A. Sharma, P. Siegrist, M. Simon, P. Sphicas<sup>27</sup>, M. Spiropulu<sup>21</sup>, M. Stoye, P. Tropea, A. Tsiros, P. Vichoudis, M. Voutilainen, W.D. Zeuner

**Paul Scherrer Institut, Villigen, Switzerland**

W. Bertl, K. Deiters, W. Erdmann, K. Gabathuler, R. Horisberger, Q. Ingram, H.C. Kaestli, S. König, D. Kotlinski, U. Langenegger, F. Meier, D. Renker, T. Rohe, J. Sibille<sup>28</sup>, A. Starodumov<sup>29</sup>

**Institute for Particle Physics, ETH Zurich, Zurich, Switzerland**

L. Bäni, P. Bortignon, L. Caminada<sup>30</sup>, N. Chanon, Z. Chen, S. Cittolin, G. Dissertori, M. Dittmar, J. Eugster, K. Freudenreich, C. Grab, W. Hintz, P. Lecomte, W. Lustermann, C. Marchica<sup>30</sup>, P. Martinez Ruiz del Arbol, P. Milenovic<sup>31</sup>, F. Moortgat, C. Nägeli<sup>30</sup>, P. Nef, F. Nessi-Tedaldi, L. Pape, F. Pauss, T. Punz, A. Rizzi, F.J. Ronga, M. Rossini, L. Sala, A.K. Sanchez, M.-C. Sawley, B. Stieger, L. Tauscher<sup>†</sup>, A. Thea, K. Theofilatos, D. Treille, C. Urscheler, R. Wallny, M. Weber, L. Wehrli, J. Weng

**Universität Zürich, Zurich, Switzerland**

E. Aguilo, C. AMSler, V. Chiochia, S. De Visscher, C. Favaro, M. Ivova Rikova, B. Millan Mejias, P. Otiougova, C. Regenfus, P. Robmann, A. Schmidt, H. Snoek

**National Central University, Chung-Li, Taiwan**

Y.H. Chang, K.H. Chen, C.M. Kuo, S.W. Li, W. Lin, Z.K. Liu, Y.J. Lu, D. Mekterovic, R. Volpe, J.H. Wu, S.S. Yu

**National Taiwan University (NTU), Taipei, Taiwan**

P. Bartalini, P. Chang, Y.H. Chang, Y.W. Chang, Y. Chao, K.F. Chen, W.-S. Hou, Y. Hsiung, K.Y. Kao, Y.J. Lei, R.-S. Lu, J.G. Shiu, Y.M. Tzeng, M. Wang

**Cukurova University, Adana, Turkey**

A. Adiguzel, M.N. Bakirci<sup>32</sup>, S. Cerci<sup>33</sup>, C. Dozen, I. Dumanoglu, E. Eskut, S. Girgis, G. Gokbulut, I. Hos, E.E. Kangal, A. Kayis Topaksu, G. Onengut, K. Ozdemir, S. Ozturk<sup>34</sup>, A. Polatoz, K. Sogut<sup>35</sup>, D. Sunar Cerci<sup>33</sup>, B. Tali<sup>33</sup>, H. Topakli<sup>32</sup>, D. Uzun, L.N. Vergili, M. Vergili

**Middle East Technical University, Physics Department, Ankara, Turkey**

I.V. Akin, T. Aliev, B. Bilin, S. Bilmis, M. Deniz, H. Gamsizkan, A.M. Guler, K. Ocalan, A. Ozpineci, M. Serin, R. Sever, U.E. Surat, E. Yildirim, M. Zeyrek

**Bogazici University, Istanbul, Turkey**

M. Deliomeroglu, D. Demir<sup>36</sup>, E. Gülmez, B. Isildak, M. Kaya<sup>37</sup>, O. Kaya<sup>37</sup>, M. Özbek, S. Ozkorucuklu<sup>38</sup>, N. Sonmez<sup>39</sup>

**National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine**

L. Levchuk

**University of Bristol, Bristol, United Kingdom**

F. Bostock, J.J. Brooke, T.L. Cheng, E. Clement, D. Cussans, R. Frazier, J. Goldstein, M. Grimes, M. Hansen, D. Hartley, G.P. Heath, H.F. Heath, L. Kreczko, S. Metson, D.M. Newbold<sup>40</sup>, K. Nirunpong, A. Poll, S. Senkin, V.J. Smith, S. Ward

**Rutherford Appleton Laboratory, Didcot, United Kingdom**

L. Basso<sup>41</sup>, K.W. Bell, A. Belyaev<sup>41</sup>, C. Brew, R.M. Brown, B. Camanzi, D.J.A. Cockerill, J.A. Coughlan, K. Harder, S. Harper, J. Jackson, B.W. Kennedy, E. Olaiya, D. Petyt, B.C. Radburn-Smith, C.H. Shepherd-Themistocleous, I.R. Tomalin, W.J. Womersley, S.D. Worm

**Imperial College, London, United Kingdom**

R. Bainbridge, G. Ball, J. Ballin, R. Beuselinck, O. Buchmuller, D. Colling, N. Cripps, M. Cutajar, G. Davies, M. Della Negra, W. Ferguson, J. Fulcher, D. Futyan, A. Gilbert, A. Guneratne Bryer, G. Hall, Z. Hatherell, J. Hays, G. Iles, M. Jarvis, G. Karapostoli, L. Lyons, B.C. MacEvoy, A.-M. Magnan, J. Marrouche, B. Mathias, R. Nandi, J. Nash, A. Nikitenko<sup>29</sup>, A. Papageorgiou, M. Pesaresi, K. Petridis, M. Pioppi<sup>42</sup>, D.M. Raymond, S. Rogerson, N. Rompotis, A. Rose, M.J. Ryan, C. Seez, P. Sharp, A. Sparrow, A. Tapper, S. Tourneur, M. Vazquez Acosta, T. Virdee, S. Wakefield, N. Wardle, D. Wardrope, T. Whyntie

**Brunel University, Uxbridge, United Kingdom**

M. Barrett, M. Chadwick, J.E. Cole, P.R. Hobson, A. Khan, P. Kyberd, D. Leslie, W. Martin, I.D. Reid, L. Teodorescu

**Baylor University, Waco, USA**

K. Hatakeyama, H. Liu

**The University of Alabama, Tuscaloosa, USA**

C. Henderson

**Boston University, Boston, USA**

T. Bose, E. Carrera Jarrin, C. Fantasia, A. Heister, J. St. John, P. Lawson, D. Lazic, J. Rohlf, D. Sperka, L. Sulak

**Brown University, Providence, USA**

A. Avetisyan, S. Bhattacharya, J.P. Chou, D. Cutts, A. Ferapontov, U. Heintz, S. Jabeen, G. Kukartsev, G. Landsberg, M. Luk, M. Narain, D. Nguyen, M. Segala, T. Sinthuprasith, T. Speer, K.V. Tsang

**University of California, Davis, Davis, USA**

R. Breedon, M. Calderon De La Barca Sanchez, S. Chauhan, M. Chertok, J. Conway, P.T. Cox, J. Dolen, R. Erbacher, E. Friis, W. Ko, A. Kopecky, R. Lander, H. Liu, S. Maruyama, T. Miceli, M. Nikolic, D. Pellett, J. Robles, S. Salur, T. Schwarz, M. Searle, J. Smith, M. Squires, M. Tripathi, R. Vasquez Sierra, C. Veelken

**University of California, Los Angeles, Los Angeles, USA**

V. Andreev, K. Arisaka, D. Cline, R. Cousins, A. Deisher, J. Duris, S. Erhan, C. Farrell, J. Hauser, M. Ignatenko, C. Jarvis, C. Plager, G. Rakness, P. Schlein<sup>†</sup>, J. Tucker, V. Valuev

**University of California, Riverside, Riverside, USA**

J. Babb, A. Chandra, R. Clare, J. Ellison, J.W. Gary, F. Giordano, G. Hanson, G.Y. Jeng, S.C. Kao, F. Liu, H. Liu, O.R. Long, A. Luthra, H. Nguyen, B.C. Shen<sup>†</sup>, R. Stringer, J. Sturdy, S. Sumowidagdo, R. Wilken, S. Wimpenny

**University of California, San Diego, La Jolla, USA**

W. Andrews, J.G. Branson, G.B. Cerati, D. Evans, F. Golf, A. Holzner, R. Kelley, M. Lebourgeois, J. Letts, B. Mangano, S. Padhi, C. Palmer, G. Petrucciani, H. Pi, M. Pieri, R. Ranieri, M. Sani, V. Sharma, S. Simon, E. Sudano, M. Tadel, Y. Tu, A. Vartak, S. Wasserbaech<sup>43</sup>, F. Würthwein, A. Yagil, J. Yoo

**University of California, Santa Barbara, Santa Barbara, USA**

D. Barge, R. Bellan, C. Campagnari, M. D'Alfonso, T. Danielson, K. Flowers, P. Geffert, J. Incandela, C. Justus, P. Kalavase, S.A. Koay, D. Kovalskyi, V. Krutelyov, S. Lowette, N. Mccoll, V. Pavlunin, F. Rebassoo, J. Ribnik, J. Richman, R. Rossin, D. Stuart, W. To, J.R. Vlimant

**California Institute of Technology, Pasadena, USA**

A. Apresyan, A. Bornheim, J. Bunn, Y. Chen, M. Gataullin, Y. Ma, A. Mott, H.B. Newman, C. Rogan, K. Shin, V. Timciuc, P. Traczyk, J. Veverka, R. Wilkinson, Y. Yang, R.Y. Zhu

**Carnegie Mellon University, Pittsburgh, USA**

B. Akgun, R. Carroll, T. Ferguson, Y. Iiyama, D.W. Jang, S.Y. Jun, Y.F. Liu, M. Paulini, J. Russ, H. Vogel, I. Vorobiev

**University of Colorado at Boulder, Boulder, USA**

J.P. Cumalat, M.E. Dinardo, B.R. Drell, C.J. Edelmaier, W.T. Ford, A. Gaz, B. Heyburn, E. Luiggi Lopez, U. Nauenberg, J.G. Smith, K. Stenson, K.A. Ulmer, S.R. Wagner, S.L. Zang

**Cornell University, Ithaca, USA**

L. Agostino, J. Alexander, D. Cassel, A. Chatterjee, S. Das, N. Eggert, L.K. Gibbons, B. Heltsley, W. Hopkins, A. Khukhunaishvili, B. Kreis, G. Nicolas Kaufman, J.R. Patterson, D. Puigh, A. Ryd, E. Salvati, X. Shi, W. Sun, W.D. Teo, J. Thom, J. Thompson, J. Vaughan, Y. Weng, L. Winstrom, P. Wittich

**Fairfield University, Fairfield, USA**

A. Biselli, G. Cirino, D. Winn



**Fermi National Accelerator Laboratory, Batavia, USA**

S. Abdullin, M. Albrow, J. Anderson, G. Apollinari, M. Atac, J.A. Bakken, S. Banerjee, L.A.T. Bauerdick, A. Beretvas, J. Berryhill, P.C. Bhat, I. Bloch, F. Borchering, K. Burkett, J.N. Butler, V. Chetluru, H.W.K. Cheung, F. Chlebana, S. Cihangir, W. Cooper, D.P. Eartly, V.D. Elvira, S. Esen, I. Fisk, J. Freeman, Y. Gao, E. Gottschalk, D. Green, K. Gunthoti, O. Gutsche, J. Hanlon, R.M. Harris, J. Hirschauer, B. Hooberman, H. Jensen, M. Johnson, U. Joshi, R. Khatiwada, B. Klima, K. Kousouris, S. Kunori, S. Kwan, C. Leonidopoulos, P. Limon, D. Lincoln, R. Lipton, J. Lykken, K. Maeshima, J.M. Marraffino, D. Mason, P. McBride, T. Miao, K. Mishra, S. Mrenna, Y. Musienko<sup>44</sup>, C. Newman-Holmes, V. O'Dell, R. Pordes, O. Prokofyev, N. Saoulidou, E. Sexton-Kennedy, S. Sharma, W.J. Spalding, L. Spiegel, P. Tan, L. Taylor, S. Tkaczyk, L. Uplegger, E.W. Vaandering, R. Vidal, J. Whitmore, W. Wu, F. Yang, F. Yumiceva, J.C. Yun

**University of Florida, Gainesville, USA**

D. Acosta, P. Avery, D. Bourilkov, M. Chen, M. De Gruttola, G.P. Di Giovanni, D. Dobur, A. Drozdetskiy, R.D. Field, M. Fisher, Y. Fu, I.K. Furic, J. Gartner, B. Kim, J. Konigsberg, A. Korytov, A. Kropivnitskaya, T. Kypreos, K. Matchev, G. Mitselmakher, L. Muniz, C. Prescott, R. Remington, M. Schmitt, B. Scurlock, P. Sellers, N. Skhirtladze, M. Snowball, D. Wang, J. Yelton, M. Zakaria

**Florida International University, Miami, USA**

C. Ceron, V. Gaultney, L. Kramer, L.M. Lebolo, S. Linn, P. Markowitz, G. Martinez, D. Mesa, J.L. Rodriguez

**Florida State University, Tallahassee, USA**

T. Adams, A. Askew, J. Bochenek, J. Chen, B. Diamond, S.V. Gleyzer, J. Haas, S. Hagopian, V. Hagopian, M. Jenkins, K.F. Johnson, H. Prosper, L. Quertenmont, S. Sekmen, V. Veeraraghavan

**Florida Institute of Technology, Melbourne, USA**

M.M. Baarmand, B. Dorney, S. Guragain, M. Hohlmann, H. Kalakhety, R. Ralich, I. Vodopyanov

**University of Illinois at Chicago (UIC), Chicago, USA**

M.R. Adams, I.M. Anghel, L. Apanasevich, Y. Bai, V.E. Bazterra, R.R. Betts, J. Callner, R. Cavanaugh, C. Dragoiu, L. Gauthier, C.E. Gerber, S. Hamdan, D.J. Hofman, S. Khalatyan, G.J. Kunde<sup>45</sup>, F. Lacroix, M. Malek, C. O'Brien, C. Silvestre, A. Smoron, D. Strom, N. Varelas

**The University of Iowa, Iowa City, USA**

U. Akgun, E.A. Albayrak, B. Bilki, W. Clarida, F. Duru, C.K. Lae, E. McCliment, J.-P. Merlo, H. Mermerkaya<sup>46</sup>, A. Mestvirishvili, A. Moeller, J. Nachtman, C.R. Newsom, E. Norbeck, J. Olson, Y. Onel, F. Ozok, S. Sen, J. Wetzel, T. Yetkin, K. Yi

**Johns Hopkins University, Baltimore, USA**

B.A. Barnett, B. Blumenfeld, A. Bonato, C. Eskew, D. Fehling, G. Giurgiu, A.V. Gritsan, Z.J. Guo, G. Hu, P. Maksimovic, S. Rappoccio, M. Swartz, N.V. Tran, A. Whitbeck

**The University of Kansas, Lawrence, USA**

P. Baringer, A. Bean, G. Benelli, O. Grachov, R.P. Kenny Iii, M. Murray, D. Noonan, S. Sanders, J.S. Wood, V. Zhukova

**Kansas State University, Manhattan, USA**

A.F. Barfuss, T. Bolton, I. Chakaberia, A. Ivanov, S. Khalil, M. Makouski, Y. Maravin, S. Shrestha, I. Svintradze, Z. Wan

**Lawrence Livermore National Laboratory, Livermore, USA**

J. Gronberg, D. Lange, D. Wright

**University of Maryland, College Park, USA**

A. Baden, M. Boutemour, S.C. Eno, D. Ferencek, J.A. Gomez, N.J. Hadley, R.G. Kellogg, M. Kirn, Y. Lu, A.C. Mignerey, K. Rossato, P. Rumerio, F. Santanastasio, A. Skuja, J. Temple, M.B. Tonjes, S.C. Tonwar, E. Twedt

**Massachusetts Institute of Technology, Cambridge, USA**

B. Alver, G. Bauer, J. Bendavid, W. Busza, E. Butz, I.A. Cali, M. Chan, V. Dutta, P. Everaerts, G. Gomez Ceballos, M. Goncharov, K.A. Hahn, P. Harris, Y. Kim, M. Klute, Y.-J. Lee, W. Li, C. Loizides, P.D. Luckey, T. Ma, S. Nahn, C. Paus, D. Ralph, C. Roland, G. Roland, M. Rudolph, G.S.F. Stephans, F. Stöckli, K. Sumorok, K. Sung, E.A. Wenger, S. Xie, M. Yang, Y. Yilmaz, A.S. Yoon, M. Zanetti

**University of Minnesota, Minneapolis, USA**

S.I. Cooper, P. Cushman, B. Dahmes, A. De Benedetti, P.R. Duderø, G. Franzoni, J. Haupt, K. Klapoetke, Y. Kubota, J. Mans, V. Rekovic, R. Rusack, M. Sasseville, A. Singovsky, N. Tambe

**University of Mississippi, University, USA**

L.M. Cremaldi, R. Godang, R. Kroeger, L. Perera, R. Rahmat, D.A. Sanders, D. Summers

**University of Nebraska-Lincoln, Lincoln, USA**

K. Bloom, S. Bose, J. Butt, D.R. Claes, A. Dominguez, M. Eads, J. Keller, T. Kelly, I. Kravchenko, J. Lazo-Flores, H. Malbouisson, S. Malik, G.R. Snow

**State University of New York at Buffalo, Buffalo, USA**

U. Baur, A. Godshalk, I. Iashvili, S. Jain, A. Kharchilava, A. Kumar, S.P. Shipkowski, K. Smith

**Northeastern University, Boston, USA**

G. Alverson, E. Barberis, D. Baumgartel, O. Boeriu, M. Chasco, S. Reucroft, J. Swain, D. Trocino, D. Wood, J. Zhang

**Northwestern University, Evanston, USA**

A. Anastassov, A. Kubik, N. Odell, R.A. Ofierzynski, B. Pollack, A. Pozdnyakov, M. Schmitt, S. Stoynev, M. Velasco, S. Won

**University of Notre Dame, Notre Dame, USA**

L. Antonelli, D. Berry, A. Brinkerhoff, M. Hildreth, C. Jessop, D.J. Karmgard, J. Kolb, T. Kolberg, K. Lannon, W. Luo, S. Lynch, N. Marinelli, D.M. Morse, T. Pearson, R. Ruchti, J. Slaunwhite, N. Valls, M. Wayne, J. Ziegler

**The Ohio State University, Columbus, USA**

B. Bylsma, L.S. Durkin, J. Gu, C. Hill, P. Killewald, K. Kotov, T.Y. Ling, M. Rodenburg, G. Williams

**Princeton University, Princeton, USA**

N. Adam, E. Berry, P. Elmer, D. Gerbaudo, V. Halyo, P. Hebda, A. Hunt, J. Jones, E. Laird, D. Lopes Pegna, D. Marlow, T. Medvedeva, M. Mooney, J. Olsen, P. Piroué, X. Quan, H. Saka, D. Stickland, C. Tully, J.S. Werner, A. Zuranski

**University of Puerto Rico, Mayaguez, USA**

J.G. Acosta, X.T. Huang, A. Lopez, H. Mendez, S. Oliveros, J.E. Ramirez Vargas, A. Zatserklyaniy

**Purdue University, West Lafayette, USA**

E. Alagoz, V.E. Barnes, G. Bolla, L. Borrello, D. Bortoletto, A. Everett, A.F. Garfinkel, L. Gutay, Z. Hu, M. Jones, O. Koybasi, M. Kress, A.T. Laasanen, N. Leonardo, C. Liu, V. Maroussov, P. Merkel, D.H. Miller, N. Neumeister, I. Shipsey, D. Silvers, A. Svyatkovskiy, H.D. Yoo, J. Zablocki, Y. Zheng

**Purdue University Calumet, Hammond, USA**

P. Jindal, N. Parashar

**Rice University, Houston, USA**

C. Boulahouache, V. Cuplov, K.M. Ecklund, F.J.M. Geurts, B.P. Padley, R. Redjimi, J. Roberts, J. Zabel

**University of Rochester, Rochester, USA**

B. Betchart, A. Bodek, Y.S. Chung, R. Covarelli, P. de Barbaro, R. Demina, Y. Eshaq, H. Flacher, A. Garcia-Bellido, P. Goldenzweig, Y. Gotra, J. Han, A. Harel, D.C. Miner, D. Orbaker, G. Petrillo, D. Vishnevskiy, M. Zielinski

**The Rockefeller University, New York, USA**

A. Bhatti, R. Ciesielski, L. Demortier, K. Goulios, G. Lungu, S. Malik, C. Mesropian, M. Yan

**Rutgers, the State University of New Jersey, Piscataway, USA**

O. Atramentov, A. Barker, D. Duggan, Y. Gershtein, R. Gray, E. Halkiadakis, D. Hidas, D. Hits, A. Lath, S. Panwalkar, R. Patel, A. Richards, K. Rose, S. Schnetzer, S. Somalwar, R. Stone, S. Thomas

**University of Tennessee, Knoxville, USA**

G. Cerizza, M. Hollingsworth, S. Spanier, Z.C. Yang, A. York

**Texas A&M University, College Station, USA**

R. Eusebi, W. Flanagan, J. Gilmore, A. Gurrola, T. Kamon, V. Khotilovich, R. Montalvo, I. Osipenkov, Y. Pakhotin, J. Pivarski, A. Safonov, S. Sengupta, A. Tatarinov, D. Toback, M. Weinberger

**Texas Tech University, Lubbock, USA**

N. Akchurin, C. Bardak, J. Damgov, C. Jeong, K. Kovitanggoon, S.W. Lee, P. Mane, Y. Roh, A. Sill, I. Volobouev, R. Wigmans, E. Yazgan

**Vanderbilt University, Nashville, USA**

E. Appelt, E. Brownson, D. Engh, C. Florez, W. Gabella, M. Issah, W. Johns, P. Kurt, C. Maguire, A. Melo, P. Sheldon, B. Snook, S. Tuo, J. Velkovska

**University of Virginia, Charlottesville, USA**

M.W. Arenton, M. Balazs, S. Boutle, B. Cox, B. Francis, R. Hirosky, A. Ledovskoy, C. Lin, C. Neu, R. Yohay

**Wayne State University, Detroit, USA**

S. Gollapinni, R. Harr, P.E. Karchin, P. Lamichhane, M. Mattson, C. Milstène, A. Sakharov

**University of Wisconsin, Madison, USA**

M. Anderson, M. Bachtis, J.N. Bellinger, D. Carlsmith, S. Dasu, J. Efron, K. Flood, L. Gray, K.S. Grogg, M. Grothe, R. Hall-Wilton, M. Herndon, A. Hervé, P. Klabbers, J. Klukas, A. Lanaro, C. Lazaridis, J. Leonard, R. Loveless, A. Mohapatra, F. Palmonari, D. Reeder, I. Ross, A. Savin, W.H. Smith, J. Swanson, M. Weinberg

†: Deceased

- 1: Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland
- 2: Also at Universidade Federal do ABC, Santo Andre, Brazil
- 3: Also at Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France
- 4: Also at British University, Cairo, Egypt
- 5: Also at Soltan Institute for Nuclear Studies, Warsaw, Poland
- 6: Also at Massachusetts Institute of Technology, Cambridge, USA
- 7: Also at Université de Haute-Alsace, Mulhouse, France
- 8: Also at Brandenburg University of Technology, Cottbus, Germany
- 9: Also at Moscow State University, Moscow, Russia
- 10: Also at Institute of Nuclear Research ATOMKI, Debrecen, Hungary
- 11: Also at Eötvös Loránd University, Budapest, Hungary
- 12: Also at Tata Institute of Fundamental Research - HECR, Mumbai, India
- 13: Also at University of Visva-Bharati, Santiniketan, India
- 14: Also at Sharif University of Technology, Tehran, Iran
- 15: Also at Shiraz University, Shiraz, Iran
- 16: Also at Isfahan University of Technology, Isfahan, Iran
- 17: Also at Facoltà Ingegneria Università di Roma "La Sapienza", Roma, Italy
- 18: Also at Università della Basilicata, Potenza, Italy
- 19: Also at Laboratori Nazionali di Legnaro dell' INFN, Legnaro, Italy
- 20: Also at Università degli studi di Siena, Siena, Italy
- 21: Also at California Institute of Technology, Pasadena, USA
- 22: Also at Faculty of Physics of University of Belgrade, Belgrade, Serbia
- 23: Also at University of California, Los Angeles, Los Angeles, USA
- 24: Also at University of Florida, Gainesville, USA
- 25: Also at Université de Genève, Geneva, Switzerland
- 26: Also at Scuola Normale e Sezione dell' INFN, Pisa, Italy
- 27: Also at University of Athens, Athens, Greece
- 28: Also at The University of Kansas, Lawrence, USA
- 29: Also at Institute for Theoretical and Experimental Physics, Moscow, Russia
- 30: Also at Paul Scherrer Institut, Villigen, Switzerland
- 31: Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia
- 32: Also at Gaziosmanpasa University, Tokat, Turkey
- 33: Also at Adiyaman University, Adiyaman, Turkey
- 34: Also at The University of Iowa, Iowa City, USA
- 35: Also at Mersin University, Mersin, Turkey
- 36: Also at Izmir Institute of Technology, Izmir, Turkey
- 37: Also at Kafkas University, Kars, Turkey
- 38: Also at Suleyman Demirel University, Isparta, Turkey
- 39: Also at Ege University, Izmir, Turkey
- 40: Also at Rutherford Appleton Laboratory, Didcot, United Kingdom
- 41: Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom
- 42: Also at INFN Sezione di Perugia; Università di Perugia, Perugia, Italy
- 43: Also at Utah Valley University, Orem, USA
- 44: Also at Institute for Nuclear Research, Moscow, Russia
- 45: Also at Los Alamos National Laboratory, Los Alamos, USA
- 46: Also at Erzincan University, Erzincan, Turkey

